

CABLE GLANDS & ACCESSORIES

Nylon Cable Glands

Nylon Dome-Head Glands **Milled Edge IP68**

Lock Nuts included

Pack Quantity 10's



As of June 2021, these products will be added to our Loyalty scheme

Code	Size	Colour	To Suit Standard Cable	Price Each
NG16B	16mm	Black	5-10mm	£0.15
NG16R	16mm	Red	5-10mm	£0.15
NG16W	16mm	White	5-10mm	£0.15
NG20B	20mm	Black	6-12mm	£0.11
NG20R	20mm	Red	6-12mm	£0.11
NG20G	20mm	Grey	6-12mm	£0.11
NG20W	20mm	White	6-12mm	£0.11
NGL20B	20mm	Black	10-14mm	£0.16
NGL20R	20mm	Red	10-14mm	£0.16
NGL20G	20mm	Grey	10-14mm	£0.16
NGL20W	20mm	White	10-14mm	£0.16
NG25B	25mm	Black	13-18mm	£0.20

NEW
NEW
NEW

■	NG25R	25mm	Red	13-18mm	£0.20
■	NG25G	25mm	Grey	13-18mm	£0.20
□	NG25W	25mm	White	13-18mm	£0.20
■	NG32B	32mm	Black	17-25mm	£0.49
■	NG32G	32mm	Grey	17-25mm	£0.49
□	NG32W	32mm	White	17-25mm	£0.49
■	NG40B	40mm	Black	22-32mm	£0.65
■	NG40G	40mm	Grey	22-32mm	£0.65
□	NG40W	40mm	White	22-32mm	£0.65
■	NG50B	50mm	Black	32-38mm	£0.89
■	NG50G	50mm	Grey	32-38mm	£0.89
□	NG50W	50mm	White	32-38mm	£0.89
■	NG63B	63mm	Black	37-44mm	£1.20
□	NG63W	63mm	White	37-44mm	£1.20

NEW

Outer Quantities:

NG20B/R/G/W 2000

NGL20B/R/G/W 1000

NG25B/R/W 1000

NG32B/G/W 500



Brass & Nylon Tail Kits



As of June 2021, these products will be added to our Loyalty scheme



Brass Nickel Plated 32mm

Lock Nuts included

Multiple inserts 16mm² & 10mm².
Single point entry for incoming tails preventing eddy currents.
Blanking plug included if earth cable not required.
Provides an insulating barrier in TT installations

Code	Size	Price Each
TKGB32	2 x 16mm ² + 1 x 10mm ²	£5.26



Nylon Tail Kits 32mm

Lock Nuts included

IP68 ingress protection.
Multiple inserts 16mm² & 10mm² & 25mm² & 16mm².
Single point entry for incoming tails preventing eddy currents.
Blanking plug included if earth cable not required.
Provides an insulating barrier in TT installations

Code	Size	Price Each
TKGN32	2 x 16mm ² + 1 x 10mm ²	£1.16
TKGN32L	2 x 25mm ² + 1 x 16mm ²	£1.29



Cable Gland Packs

BW Industrial Gland Packs Brass CW614N

Standard: BS 6121: Part-1:2005, EN 50262:1999, IEC62444:2010

Function: Provides mechanical cable retention & electrical continuity via armoured wire termination in indoor area - easy to install.

Ingress Protection: IP2X


Thread: Metric

Operating Temp: -60°C to +200°C

Cable Type: Single Wire Armour (SWA) Cable

Features: Two Part Armour Lock

Code	Size	Price Per Pack
BW20S	20mm Small	£0.80
BW20	20mm	£1.02
BW25	25mm	£2.04
BW32	32mm	£2.95
BW40	40mm	£2.51
BW50	50mm	£4.24
BW63	63mm	£5.98
BW75	75mm	£9.62



SUPPLIED IN STRONG, STURDY & RESEALABLE PACKAGING



Loyalty Points INCLUDED

As of June 2021, these products will be added to our Loyalty scheme

Scan our QR code to be taken to our Brass Gland Calculator page



CW Industrial Gland Packs

Standard: BS 6121: Part-1:2005, EN 50262:1999, IEC62444:2010

Function: Providing environmental seal on the cable outer sheath. Also provides mechanical cable retention & electrical continuity via armoured wire termination in indoor and outdoor area with all types of SWA cable.

Ingress Protection: IP66

Thread: Metric


Operating Temp: -60°C to +125°C

Cable Type: Single Wire Armour (SWA) Cable

Seal Material: LSOH Silicone Seal & LSOH Nylon Washer

Features: Two Part Armour Lock, Outer Compression Seal

Code	Size	Price Per Pack
CW20S	20mm Small	£1.85
CW20	20mm	£2.22
CW25	25mm	£3.76
CW32	32mm	£6.18
CW40	40mm	£4.58
CW50	50mm	£7.64
CW63	63mm	£10.42
CW75	75mm	£14.24




BW LSF Gland Packs

Size: 16mm to 90mm & 1/2" to 3 1/2"

Standard: EN/IEC 60079-0:2012+A11:2013/2011, EN/IEC 60079-1:2014, EN/IEC 60079-7:2015, EN/IEC 60079-31:2014/2013

LSF Shrouds included

Code	Size	Price Per Pack
LBW20S	20mm Small	£1.19 Pack of 2
LBW20	20mm	£1.41 Pack of 2
LBW25	25mm	£2.62 Pack of 2
LBW32	32mm	£3.72 Pack of 2
LBW40	40mm	£3.03 Pack of 1
LBW50	50mm	£5.31 Pack of 1
LBW63	63mm	£7.48 Pack of 1
LBW75	75mm	£11.67 Pack of 1



CW LSF Gland Packs

Standard: BS 6121: Part-1:2005, EN 50262:1999, IEC62444:2010

Function: Providing environmental seal on the cable outer sheath. Also provides mechanical cable retention & electrical continuity via armoured wire termination in indoor and outdoor area with all types of SWA cable.

Ingress Protection: IP66

Thread: Metric

Operating Temp: -60°C to +125°C


Cable Type: Single Wire Armour (SWA) Cable

Seal Material: LSOH Silicone Seal & LSOH Nylon Washer

Features: Two Part Armour Lock, Outer Compression Seal

LSF Shrouds included

Code	Size	Price Per Pack
LCW20S	20mm Small	£2.32 Pack of 2
LCW20	20mm	£2.67 Pack of 2
LCW25	25mm	£4.52 Pack of 2
LCW32	32mm	£7.37 Pack of 2
LCW40	40mm	£5.49 Pack of 1
LCW50	50mm	£9.05 Pack of 1
LCW63	63mm	£12.36 Pack of 1
LCW75	75mm	£16.75 Pack of 1



As of June 2021, these products will be added to our Loyalty scheme



Cable Gland Packs

CXT Industrial Gland Packs Brass CW614N

Standard: BS 6121: Part-1:2005, EN 50262:1999, IEC62444:2010

Function: Providing environmental seal on outer sheaths of all types of unarmoured cable in indoor and outdoor area.

Ingress Protection: IP66

Thread: Metric, NPT


Operating Temp: -20°C to +80°C

Features: Outer Compression Seal

Seal Material: Neoprene Washer

Cable Type: All types of screened flexible wire braid (e.g. CV/SV) or wire braid armoured cable

Code	Size	Price Per Pack
CXT20S	20mm Small	£3.88
CXT20	20mm	£4.31
CXT25	25mm	£7.23
CXT32	32mm	£9.17
CXT40	40mm	£6.74
CXT50	50mm	£12.22



E1W Industrial Gland Packs Brass CW614N

Standard: BS 6121: Part-1:2005, EN 50262:1999

Application: For indoor & outdoor use with all types of SWA cable providing environmental seal on both the cable inner & outer sheaths. Also provides mechanical retention & electrical continuity via armour wire termination.

Ingress Protection: IP66

Thread: Metric, NPT



Operating Temp: -20°C to +80°C

Cable Type: Single Wire Armour (SWA) Cable

Features: Compression Seal and Armoured Ring

Seal Material: Neoprene Seal and Nylon Washer

Code	Size	Price Per Pack
E1W20S	20mm Small	£3.88
E1W20	20mm	£4.31
E1W25	25mm	£7.23
E1W32	32mm	£9.17
E1W40	40mm	£6.74
E1W50	50mm	£12.22




Hazardous Area Gland Packs

Size: 16mm to 90mm & ½" to 3½"

Standard : EN/IEC 60079-0:2012+A11:2013/2011, EN/IEC 60079-1:2014, EN/IEC 60079-7:2015, EN/IEC 60079-31:2014/2013

LSF Shrouds included

Code	Size	Price Per Pack
E1FW20S	20mm Small	£6.92 Pack of 1
E1FW20	20mm	£8.74 Pack of 1
E1FW25	25mm	£14.19 Pack of 1
E1FW32	32mm	£20.38 Pack of 1
E1FW40	40mm	£30.19 Pack of 1
E1FW50	50mm	£43.76 Pack of 1
E1FW63	63mm	£59.21 Pack of 1



A2 Industrial Gland Packs Brass CW614N

Standard: BS 6121: Part-1:2005, EN 50262:1999, IEC62444:2010

Function: Providing seal on outer sheaths of all types of unarmoured cable in indoor and outdoor area.

Ingress Protection: IP66

Thread: Metric, NPT


Operating Temp: -60°C to +125°C

Cable Type: Unarmoured Cable

Features: Outer Displacement Seal

Seal Material: LSOH Silicone Seal & LSOH Nylon Washer

Code	Size	Price Per Pack
A220S	20mm Small	£1.49
A220	20mm	£1.77
A225	25mm	£3.11
A232	32mm	£4.16
A240	40mm	£3.10
A250	50mm	£4.60



Cable Gland Accessories



As of June 2021, these products will be added to our Loyalty scheme


Earthing Nuts Brass

Code	Size	Hex Key Size	Price Each
EN20	20mm	2mm	£1.33
EN25	25mm	3mm	£1.91
EN32	32mm	4mm	£3.26



Hex Key Wrench for Earth Nuts


Code	Size	Price Each
HK2	2mm	£0.05
HK3	3mm	£0.09
HK4	4mm	£0.11



Earthing Nuts Brass C/W with Allen Key

Brass Earthing Nuts supplied with grub screws and connecting bolt (Packs supplied with allen key!)

Code	Size	Price Each
EN20-10	20mm Pack of 10	£12.90
EN20-2	20mm Pack of 2	£2.66
EN25-2	25mm Pack of 2	£3.82



NEW



Washer Fibre

Usage: To improve IP ratings on brass glands
Standard: Mechanical IEC 667 1-2-3
Material: Vulcanized fibre (Type PG)

Code	Size	Price Per 100
FW20	20mm	£6.23
FW25	25mm	£7.65
FW32	32mm	£11.18
FW40	40mm	£12.95
FW50	50mm	£21.19
FW63	63mm	£29.43
FW75	75mm	£44.43



Washer Nylon

Usage: To improve IP ratings on brass glands
Standard: Mechanical Tension: ISO 527 1-2
Material: Ertalon 6 SA

Code	Size	Price Per 100
NW20	20mm	£6.94
NW25	25mm	£8.59



TRS Glands Brass with Rubber Seal

Code	Size	Price Per 100
TRS16	16mm	£30.52
TRS20	20mm	£34.97
TRS25	25mm	£54.74
TRS32	32mm	£134.62



Shakeproof Washer BZP

Standard: DIN 6797
Finish: Zinc & Clear
Usage: To improve non-vibration

Code	Size	Price Per 100
ISSPW20	M20 for Glands	£7.65
ISSPW25	M25 for Glands	£10.47



Shakeproof Washer Stainless Steel

Standard: DIN 6797
Finish: Zinc & Clear
Usage: To improve non-vibration

Code	Size	Price Each
SSPW20	20mm	£0.37
SSPW25	25mm	£0.57



LSF Shroud Packs

To make your glands LSF (Low Smoke & Fume) without buying the whole kit. LSF shrouds are Low Smoke & Fume (LSF), and Phosphorus Free. Manufactured from low smoke, self-extinguishing, non-drip and halogen free material and are essential for areas where fire safety is key.

Code	Size	Price Per Pack	Unit
SHR20	To fit BW20	£1.02	Pack per 10
SHR20S	To fit BW20S	£1.30	Pack per 10
SHR25	To fit BW25	£1.77	Pack per 10
SHR32	To fit BW32	£2.59	Pack per 10
SHR40	To fit BW40	£4.24	Pack per 10
SHR50	To fit BW50	£5.89	Pack per 10
SHR63	To fit BW63	£8.24	Pack per 10
SHR75	To fit BW75	£10.01	Pack per 10

