

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: METAL WORKING COMPOUND

Article number: T500

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC25: Metal working fluids.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: TYGRIS Industrial
Unit 31, Kyle Road Industrial Estate
Irvine
Ayrshire
KA12 8LE
Tel +44 (0) 1294 311 066
Fax +44 (0) 1294 277 115
Email technical@tygrisindustrial.com

Further information obtainable from: Technical Department

1.4 Emergency telephone number: Tel +44 (0) 1294 311 066

2. Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: EUH208

Most important adverse effects: Contains pine oils. May produce an allergic reaction.

2.2. Label elements

Hazard Statements: EUH208: Contains pine oils. May produce an allergic reaction.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance

3. Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PINE OILS

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	-	-	Flam. Liq. 3: H226; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411; Asp. Tox. 1: H304	<1%

4. First aid measures

4.1. Description of first aid measures

Skin contact:	Wash immediately with plenty of soap and water.
Eye contact:	Bathe the eye with running water for 15 minutes.
Ingestion:	Wash out mouth with water.
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact:	There may be mild irritation at the site of contact.
Eye contact:	There may be irritation and redness.
Ingestion:	There may be irritation of the throat.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects:	No data available.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment:	Not applicable.
---------------------------------------	-----------------

5. Firefighting measures

5.1 Extinguishing media

Extinguishing media:	Suitable extinguishing media for the surrounding fire should be used.
-----------------------------	---

5.2. Special hazards arising from the substance or mixture

Exposure hazards:	In combustion emits toxic fumes.
--------------------------	----------------------------------

5.3. Advice for fire-fighters

Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.
----------------------------------	--

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

7. Handling and storage

7.1 Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): PC25: Metal working fluids.

8. Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PINE OILS

Workplace exposure limits:

Respirable dust:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	556mg/m ³	850mg/m ³	-	-

DNEL/PNEC Values

PINE OILS

Type	Exposure	Value	Population	Effect
DNEL	Dermal	5mg/kg	Workers	Local
DNEL	Inhalation	5.8mg/m ³	Workers	Local
DNEL	Dermal	2.5 mg/kg	Consumers	Local
DNEL	Inhalation	1.25 mg/m ³	Consumers	Local
PNEC	Fresh water	62ug/l	-	-
PNEC	Marine water	6.2ug/l	-	-
PNEC	Fresh water sediments	0.442	-	-
PNEC	Marine sediments	0.044mg/kg	-	-
PNEC	Soil	0.052mg/kg	-	-
PNEC	Oral	16.6mg/kg food	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: No special requirement.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Paste

Colour: Black

Odour: Characteristic odour

9.2. Other information

Other information: No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition products: In combustion emits toxic fumes.

11. Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PINE OILS

DERMAL	RBT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>3200	mg/kg
VAPOURS	RAT	4H LC50	4.76	mg/l

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: No data available.

12. Ecological information

12.1. Toxicity

Hazardous ingredients:

PINE OILS

ALGAE	72H ErC50	68	mg/l
DAPHNIA	48H EC50	73	mg/l
FISH	96H LC50	62-80	mg/l

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

12.4. Mobility in soil

Mobility: Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

13. Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Transport information

Transport class: This product does not require a classification for transport.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical safety assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

16. Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.
H226: Flammable liquid and vapour.
H304: May be fatal if swallowed and enters airways.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H411: Toxic to aquatic life with long lasting effects.

Legal disclaimer The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.